



Linssen SL series

50 SL AC Variotop® | 55 SL AC Variotop® 50 Sedan Variodeck 15,50 - 16,50 m





Standard



Egg shell White

Options:



Cove Green



Fjord Blue



Haven Grey



Mahogany Red

The Linssen SL Variotop® series

.

The Linssen SL Variotop® series





Linssen 50 SL AC Variotop®



Layout 1



Layout 2



Layout 2



Linssen 50 SL Sedan Variodeck




The Linssen Variotop®

	50 SL AC Variotop®	55 SL AC Variotop®
4	± 15,50 x 4,60 x 1,20 m	± 16,50 x 4,85 x 1,29 m
‡≡	± 3,44 m	± 3,49 m
↑ I	± 2,00 / 1,98 / 1,98 / 2,00 m	± 2,00 / 2,00 / 2,00 / 2,00 m
	6	6
\in	B (sea)	B (sea)
	± 2x 750 ltr	± 2x 1185 ltr
	± 720 ltr	± 960 ltr
₽	biological blackwater treatment installation	biological blackwater treatment installation
R	± 25.000 kg / ± 25 m³	± 30.000 kg / ± 30 m ³
Ф	2x 4 cil. Yanmar Diesel, type 4JH110, 80.9 kW (110 PK), 3200 rpm	2x 4 cil. Yanmar Diesel, type 4LV150, 110 kW (150 PK), 3500 rpm









Interior pictures Grand Sturdy 500 AC Variotop®





Layout 2

















Layout 2







Linssen 50 SL Sedan Variodeck

4 ± 15,50 x 4,60 x 1,20 m

ţ≡ ± 2,75 m

ήÎ ± 2,00 / 2,05 m

4

 \mathfrak{C} B (sea)


± 2x 750 ltr ± 720 ltr

0 ± 400 ltr

 $\pm 25.000 / \pm 25 \,\mathrm{m}^3$

Motorisering: 2x 4 cil. Yanmar Diesel, type 4JH110 Q 80.9 kW (110 PK), 3200 rpm







Layout Linssen 50 SL Sedan Variodeck



Linssen Yachts B.V. | Brouwersstraat 17, NL-6051 AA Maasbracht +31(0)475 439 999 | www.linssenyachts.com

SINCE 1949

© Linssen Yachts B.V. - Maasbracht, SE&O May 2024